



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 1 of 12

## SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION

Product identifier used on the label

: Bugs B Gone

Product Code(s) : BBG1, BBG2, BBG4, BBG5, BBG55

Recommended use of the chemical and restrictions on use

: Bug Remover, Carpet Cleaner, Lexon Glass Cleaner, Wheel Cleaner, Over all car

Cleane

Chemical family : Mixture of Pure Raw Materials

Name, address, and telephone number of the manufacturer:

Manufacturer's Telephone # : Refer to supplier

Name, address, and telephone number of the supplier:

Sea Foam Sales Company

12987 Pioneer Trail

Eden Prairie, MN, USA 55347

Supplier's Telephone # : (952)938-4811

24 Hr. Emergency Tel # : INFOTRAC - (800) 535-5053 (Within Continental US); (352) 323-3500 (Outside US)

NOTE: INFOTRAC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

#### SECTION 2. HAZARDS IDENTIFICATION

## Classification of the chemical

Clear liquid. Odorless.

Most important hazards:

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012).

Hazardous classification:

Acute toxicity (Oral ;Dermal) -Category 4

Acute toxicity (Inhalation ) -Category 3

Skin irritation - Category 2

Eye irritation - Category 2A

WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). WHMIS classification:

Class D1A (Materials Causing Immediate and Serious Toxic Effects, Very Toxic Material)

Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

### Label elements

The following label information is applicable only to the United States according to OSHA Regulations (29 CFR 1910.1200) (Hazcom 2012):

Signal Word

DANGER!

Hazard statement(s)

Harmful if swallowed.

Harmful in contact with skin.

Toxic if inhaled.

Causes skin irritation.

Causes serious eye irritation.



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 2 of 12

## SAFETY DATA SHEET

### Precautionary statement(s)

Wear protective gloves/clothing and eye/face protection. Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Avoid breathing vapors or mists.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation occurs, get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists, get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local regulation.





The following label information is applicable only to Canada according to the Canadian Controlled Products Regulations (CPR/WHMIS):

DANGER! May be fatal if inhaled or swallowed. Harmful in contact with skin. May cause moderate to severe skin and eye irritation.

PRECAUTIONS: Use only in well-ventilated areas. Wear suitable protective equipment during handling. Do not ingest. Do not breathe vapours or spray mist. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks, and open flames. Avoid contact with incompatible materials. Keep containers closed when not in use. Wash thoroughly after handling. Store in a cool, dry, well ventilated area.

FIRST AID: If swallowed, DO NOT induce vomiting. Call a physician or poison control centre immediately. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE or doctor/physician. For skin contact, flush with water for at least 15 minutes, while removing contaminated clothing. When symptoms persist or in all cases of doubt seek medical advice. For eye contact, flush with running water for at least 15 minutes. Remove contact lenses if present and easy to do. If irritation persists, seek prompt medical attention.

Refer To Material Safety Data Sheet for further information.





Other hazards



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 3 of 12

## SAFETY DATA SHEET

Other hazards which do not result in classification: Burning produces obnoxious and toxic fumes. Ingestion may cause irritation of the mouth, throat and stomach. Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin.

Environmental precautions: Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS#	<u>Concentration</u>
2-butoxyethanol	111-76-2	<1
Water-d2	7789-20-0	<95
Potassium hydroxide, solid	1310-58-3	<1
Tetrasodium EDTA	64-02-8	<1
Nonyl phenol ethoxylate	9016-45-9	<1
Sodium xylenesulfonate	1300-72-7	<1

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

Ingestion

 Seek immediate medical attention/advice. Do not induce vomiting, unless directed to do so by qualified medical personnel. Never give anything by mouth to an unconscious

person

Inhalation : Immediately remove person to fresh air. If breathing has stopped, give artificial

respiration. If breathing is difficult, give oxygen by qualified medical personnel only.

Get medical attention.

Skin contact : Remove/Take off immediately all contaminated clothing. Wash off immediately with

plenty of water for at least 15 minutes. Get medical attention.

Eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. If irritation or

symptoms develop, seek medical attention.

## Most important symptoms and effects, both acute and delayed

Harmful if swallowed.
 Harmful in contact with skin.

Toxic if inhaled. Causes skin irritation. Causes serious eye irritation.

### Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

: Do not use water jet, as this may spread burning material.

## Special hazards arising from the substance or mixture / Conditions of flammability

: None known.

# Flammability classification (OSHA 29 CFR 1910.106)

: Non-flammable.

### Explosion Data: Sensitivity to Mechanical Impact / Static Discharge:

: Not expected to be sensitive to mechanical impact or static discharge.

## **Hazardous combustion products**

: Carbon oxides; irritating fumes and smoke.

Special protective equipment and precautions for firefighters



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 4 of 12

## SAFETY DATA SHEET

### Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

#### Special fire-fighting procedures

 Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

: All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up.

#### **Environmental precautions**

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

### Methods and material for containment and cleaning up

: Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

### Special spill response procedures

In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.

## SECTION 7. HANDLING AND STORAGE

## Precautions for safe handling

: Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not ingest. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks, and open flames. Wash hands thoroughly after handling. Avoid contact with incompatible materials. Do not eat, drink or smoke when using this product.

## Conditions for safe storage

Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

#### Incompatible materials

: Strong oxidizing agents; Acids

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 5 of 12

## SAFETY DATA SHEET

Chemical Name	ACGIH	<u>TLV</u>	OSHA I	<u>PEL</u>
	<u>TWA</u>	STEL	<u>PEL</u>	STEL
butoxyethanol	20 ppm	N/Av	50 ppm ; 240 mg/m³	N/Av
/ater-d2	N/Av	N/Av	N/Av	N/Av
otassium hydroxide, solid	2 mg/m³ (Ceiling)	N/Av	2 mg/m³ (Ceiling) (final rule limit)	N/Av
etrasodium EDTA	N/Av	N/Av	N/Av	N/Av
lonyl phenol ethoxylate	N/Av	N/Av	N/Av	N/Av
Sodium xylenesulfonate	N/Av	N/Av	N/Av	N/Av

### **Exposure controls**

Ventilation and engineering measures

: Use general or local exhaust ventilation to maintain air concentrations below

recommended exposure limits.

**Respiratory protection**: Respiratory protection is required if the concentrations exceed the TLV.

NIOSH-approved respirators are recommended. Confirmation of which type of respirator is most suitable for the intended application should be obtained from

respiratory protection suppliers.

Skin protection : Impervious gloves must be worn when using this product. Advice should be sought

from glove suppliers.

The following glove material(s) are recommended: Butyl rubber; Barrier;  $\,$  Viton;

Tychem; Nitrile rubber; Silver Shield™.

The following glove material(s) are not recommended: Natural Rubber; Neoprene;

Polyvinylchloride; polyvinyl alcohol.

Eye / face protection : Chemical splash goggles are recommended. A full face shield may also be

necessary.

Other protective equipment : Wear resistant clothing and boots. Other equipment may be required depending on

workplace standards. An eyewash station and safety shower should be made available

in the immediate working area.

General hygiene considerations

Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing

home.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear liquid.

Odour : Odorless

Odour threshold : No information available.
pH : 10 (BBG1 & 2 ) 12 (BBG4 & 5 )

Melting/Freezing point : -1.11°C / 30°F

Initial boiling point and boiling range

: 101.1°C /214°F

Flash point : N/Av
Flash point (Method) : N/Av
Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 6 of 12

## SAFETY DATA SHEET

Lower flammable limit (% by vol.)

N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties : None known. Explosive properties : Not explosive

Vapour pressure : N/Av Vapour density : N/Av

Relative density / Specific gravity

: 1.003

Solubility in water : soluble (100%)

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: No information available.

Auto-ignition temperature : N/Av

Decomposition temperature : No information available.

Viscosity : No information available.

Volatiles (% by weight) : N/Av

Volatile organic Compounds (VOC's)

: No information available.

Absolute pressure of container

: Not applicable.

Flame projection length : Not applicable.

Other physical/chemical comments

: No additional information.

## SECTION 10. STABILITY AND REACTIVITY

**Reactivity**: Not normally reactive.

Chemical stability : Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Ensure adequate

ventilation, especially in confined areas.

Incompatible materials : Strong oxidizing agents; Acids

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

## SECTION 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: YES



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 7 of 12

## SAFETY DATA SHEET

## **Potential Health Effects:**

### Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: Harmful or fatal if inhaled. May result in unconsciousness and possibly death.

Sign and symptoms ingestion

: Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. May be fatal if very large amounts are swallowed. May be absorbed and cause symptoms

similar to those for inhalation.

Sign and symptoms skin : May cause moderate to severe skin irritation. May be absorbed and cause symptoms

similar to those for inhalation.

Sign and symptoms eyes : May cause moderate to severe irritation.

**Potential Chronic Health Effects** 

: Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

**Mutagenicity** : Not expected to be mutagenic in humans.

Carcinogenicity : Not known to be carcinogenic.

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Senitization to material : Not expected to be a skin or respiratory sensitizer.

**Specific target organ effects**: Eyes, skin and digestive system.

Irritating to eyes and skin.

Medical conditions aggravated by overexposure

Pre-existing skin, eye and digestive disorder.

Synergistic materials : Not available.

Toxicological data : See below for individual ingredient acute toxicity data.

	LC <sub>50</sub> (4hr)	LD <sub>50</sub>		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
2-butoxyethanol	450 ppm/4H (2.175 mg/L)	530 mg/kg	400 - 500 mg/kg	
Water-d2	N/Av	N/Av	N/Av	
Potassium hydroxide, solid	N/Av	205 mg/kg	> 1260 mg/kg	
Tetrasodium EDTA	N/Av	1700 - 1913mg/kg	N/Av	
Nonyl phenol ethoxylate	N/Av	1310 mg/kg	2000mg/kg	
Sodium xylenesulfonate	N/Av	1000 mg/kg	N/Av	

# Other important toxicological hazards

: The calculated ATE values for this mixture are:

ATE oral = 548.5mg/kg ATE dermal = 790.8mg/kg

ATE inhalation (vapours) = 2.175mg/L/4H

# SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : See the following tables for individual ingredient ecotoxicity data.



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 8 of 12

## **SAFETY DATA SHEET**

## Ecotoxicity data:

la sua di auta	040 11	Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
2-butoxyethanol	111-76-2	1490 mg/L (Bluegill sunfish)	>100 mg/L (Zebra fish)	N/Ap		
Water-d2	7789-20-0	N/Av	N/Av	None.		
Potassium hydroxide, solid	1310-58-3	80 mg/L (Mosquito fish)	N/Av	None.		
Tetrasodium EDTA	64-02-8	59.8mg/L (Fathead minnow)	>26.8mg/L/35d(Zebra fish)	None.		
Nonyl phenol ethoxylate	9016-45-9	1.3 mg/L (Bluegill sunfish)	N/Av	None.		
Sodium xylenesulfonate	1300-72-7	>400mg/L (Fathead minnow)	N/Av	N/Ap		

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
2-butoxyethanol	111-76-2	835 mg/L Daphnia magna (Water flea)	100 mg/L Daphnia magna (Water flea)	N/Ap		
Water-d2	7789-20-0	N/Av	N/Av	None.		
Potassium hydroxide, solid	1310-58-3	56 mg/L (Daphnia magna)	N/Av	None.		
Tetrasodium EDTA	64-02-8	625mg/L/24hr Daphnia magna (Water flea)	22 mg/L/21dDaphnia magna (Water flea)	None.		
Nonyl phenol ethoxylate	9016-45-9	4.8 mg/L (Daphnia magna)	N/Av	None.		
Sodium xylenesulfonate	1300-72-7	>408mg/L Daphnia magna (Water flea)	N/Av	N/Ap		

<u>Ingredients</u>	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
2-butoxyethanol	111-76-2	911 mg/L/72hr (Green algae)	286 mg/L/72hr (Green algae)	N/Ap		
Water-d2	7789-20-0	N/Av	N/Av	None.		
Potassium hydroxide, solid	1310-58-3	N/Av	N/Av	None.		
Tetrasodium EDTA	64-02-8	N/Ap	100 mg/L/72hr (Green algae)	None.		
Nonyl phenol ethoxylate	9016-45-9	20mg/L/48hr (Green algae)	8mg/L/96hr (Green algae)	None.		
Sodium xylenesulfonate	1300-72-7	230mg/L/96hr (Green algae)	31mg/L/96hr (Green algae)	N/Ap		

# Persistence and degradability

<sup>: 2-</sup>Butoxyethanol is considered to be readily biodegradable (OECD). Potassium hydroxide is not considered to be readily biodegradable. Tetrasodium EDTA is not considered to be readily biodegradable. Nonoxynol 10 is considered to be readily biodegradable. Sodium xylene sulfonate is considered to be readily bioderadable.



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 9 of 12

## SAFETY DATA SHEET

Bioaccumulation potential : The log Kow value for 2-butoxyethanol is 0.8, and its bioconcentration factor (BCF) is

0.97. The logKow value forTetrasodium EDTA is -13.17, and its bioconcentration factor (BCF) is 1.8. The logKow value for Nonoxynol 10 is 3.7, and its bioconcentration factor (BCF) is <0.2 to <1.4. The logKow value for Sodium xylene sulfonate is -1.86, and its

bioconcentration factor (BCF) is <2.3.

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: The product should not be allowed to enter drains or water courses, or be deposited

where it can affect ground or surface waters.

## SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7. Empty containers retain

residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on

or near this container.

Methods of Disposal : Dispose of in accordance with federal, provincial and local hazardous waste laws.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and

federal environmental agencies.

# SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None	Not regulated.	Not regulated	none	$\bigotimes$
TDG Additional information	None.	:	·		
49CFR/DOT	N/Av	Refer to the Manufacturer for shipping information.	not regulated	none	$\otimes$
49CFR/DOT Additional information	No information a	available.	·		

Special precautions for user

: Appropriate advice on safety must accompany the package. Keep away from heat,

sparks and open flame. - No smoking.

**Environmental hazards** 

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

## SECTION 15 - REGULATORY INFORMATION

#### **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 10 of 12

## **SAFETY DATA SHEET**

<u>Ingredients</u>	TSCA		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
2-butoxyethanol	111-76-2	Yes	N/Ap	N/Av	No	No	
Water-d2	7789-20-0	Yes	N/Ap	N/Av	No	No	
Potassium hydroxide, solid	1310-58-3	Yes	1000 lb/ 454 kg	N/Av	No	No	
Tetrasodium EDTA	64-02-8	Yes	N/Ap	N/Av	No	No	
Nonyl phenol ethoxylate	9016-45-9	Yes	N/Ap	N/Av	No	No	
Sodium xylenesulfonate	1300-72-7	Yes	N/Ap	N/Av	No	No	

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: ; Acute Health Hazard; . Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

## **US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65			State "Right to Know" Lists					
	OAS#	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI	
2-butoxyethanol	111-76-2	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes	
Water-d2	7789-20-0	No	N/Ap	No	No	No	No	No	No	
Potassium hydroxide, solid	1310-58-3	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes	
Tetrasodium EDTA	64-02-8	No	N/Ap	No	No	No	No	No	No	
Nonyl phenol ethoxylate	9016-45-9	No	N/Ap	No	No	No	No	No	No	
Sodium xylenesulfonate	1300-72-7	No	N/Ap	No	No	No	No	No	No	

## **Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). See Section 2.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

## International Information:

Components listed below are present on the following International Inventory list:



SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 11 of 12

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
2-butoxyethanol	111-76-2	203-905-0	Present	Present	(7)-97; (2)-407	KE-04134	Present	HSR001154
Water-d2	7789-20-0	232-148-9	Present			KE-09621	Present	
Potassium hydroxide, solid	1310-58-3	215-181-3	Present	Present	(1)-369	KE-29139	Present	HSR001546
Tetrasodium EDTA	64-02-8	200-573-9	Present	Present	(2)-1265	KE-13654	Present	HSR003275
Nonyl phenol ethoxylate	9016-45-9	500-024-6	Present	Present	(7)-172	KE-26244	Present	HSR003054; HSNO Approval: HSR006598, HSR006618 (dilution)
Sodium xylenesulfonate	1300-72-7	215-090-9	Present	Present	(3)-1909	KE-11217	Present	HSR003382

### SECTION 16. OTHER INFORMATION

Legend : A

: ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TPQ: Threshold Planning Quantity TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2013.

2. International Agency for Research on Cancer Monographs, searched 2013.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases

(Chempendium, HSDB and RTECs). (2013)

3. Material Safety Data Sheets/Safety Data Sheets from manufactuer.

5. US EPA Title III List of Lists - October 2012.6. California Proposition 65 List - 11April 2013.


Preparation Date (mm/dd/yyyy)

References

: 11/08/2013

Other special considerations for handling

: Provide adequate information, instruction and training for operators.





SDS Preparation Date (mm/dd/yyyy): 11/08/2013

Page 12 of 12

# **SAFETY DATA SHEET**

## Prepared for:

Sea Foam Sales Company 12987 Pioneer Trail Eden Prairie, MN, USA 55347 (952)938-4811 Sea Foam Sales Company



### Prepared by:

ICC The Compliance Center Inc.
Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com



## **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Sea Foam Sales and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Sea Foam Sales expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Sea Foam Sales.

## END OF DOCUMENT