

## **TURTLE WAX, INC.** 625 WILLOWBROOK CTR PKWY WILLOWBROOK, IL 60527

## SAFETY DATA SHEET

## 1. Product and Company Identification

1.1	Product	Identifier
-----	---------	------------

Product Name: Turtle Wax Oxy Power Out Upholstery Cleaner Product Code (SKU): T246R1 (50214), T246R1S (50215), T246RC (50216)

**1.2 Relevant Identified Uses Of The Substance** Product Use: Carpet & Upholstery Cleaner (Aerosol)

## 1.3 Details of the Supplier of the SDS

Company Name: Street Address: City, State, Zip Code: Turtle Wax, Inc. 625 Willowbrook Centre Parkway Willowbrook, Illinois 60527

## 1.4 Emergency Telephone Numbers

Phone Number:	1(630)455-3700
Fax Number:	1(630)455-3868
Transportation:	1(800)424-9300 (CHEMTREC)
Medical Assistance:	Call your local Poison Control Center

## 2. Hazard Identification:

## 2.1 Classification of the Substance or Mixture

Hazard Classification: Gas Under Pressure – Liquified Gas Acute Toxic 4 (Inhalation) Skin Irritation 2 Eve Irritation 2B

2.2 Label Elements

Pictogram:

Signal Word:

Hazard Statement:

Precautionary Statement:



Warning

Contains gas under pressure; May explode if heated. Harmful if inhaled. Causes skin and eye irritation.

Keep away from heat, sparks, hot surfaces or open flames. Do not smoke or spray near open flame or source of ignition. Pressurized container: Do not puncture or incinerate. Avoid breathing fumes, gas, or vapors. Use in well ventilated area. Wash hands thoroughly after use. Remove contaminated clothing and launder before re-use. If in eyes, rinse thoroughly with water for 15 minutes. Remove contact lenses if possible. If eye or skin irritation

persists, seek medical attention. Do not store in direct sunlight or at temperatures above 50°C (122°F). Store in a well ventilated place.

## 2.3 Other Hazards

Description of additional HNOC:

Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

## 3. Information on Ingredients:

3.1 Substance	
---------------	--

not applicable

3.2 Mixture		
<u>Component</u>	<u>CAS Number</u>	Concentration (wt%)
Water	7732-18-5	>85%
Propane	74-98-6	1 – 2%
Isobutane	75-28-5	1 – 2%
Sodium Lauroyl Sarcosinate	137-16-6	1 – 5%
Lauryl Amine Oxide	1643-20-5	0.5 – 1.5%
Alkylpolyglucoside	68515-73-1	<1.0%

## 4. First Aid Measures:

## 4.1 Description of First Aid Measures

**Inhalation:** Remove to fresh air and promote deep breathing. Get medical attention if effects persist.

**Skin:** In case of skin contact, wash thoroughly with soap and water. If irritation persists, get medical attention.

**Eyes:** In case of eye contact, immediately flush eyes with plenty of water. Remove contact lenses if worn. If irritation persists, get medical attention

**Ingestion:** If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Give water to drink if conscious. Get medical attention if effects persist.

## 4.2 Most important symptoms and effects – acute and chronic

Inhalation:	May cause respiratory tract irritation.
Skin:	May cause skin irritation. May cause drying, cracking, or mild dermatitis.
Eyes:	May cause temporary eye irritation. Symptoms may include excess
Ingestion:	blinking and tearing. May cause stomach distress, nausea, and vomiting.

## 4.3 Indication of any immediate medical attention and special treatment

Symptoms may not appear immediately. Seek medical attention if effects persist and you feel unwell.

## 5. Fire Fighting Measures:

## 5.1 Extinguishing media

Water spray, carbon dioxide, dry chemical, and alcohol foam

## 5.2 Special hazards arising from the substance or mixture

CO<sub>2</sub>, CO, and hydrocarbons

## 5.3 Advice for Fire Fighters

Keep up wind of fire. Wear full firefighting turn out gear (full bunker gear) and respiratory protection (SCBA). See Section 8 for personal protection.

#### 6. Accidental Release Measures:

#### 6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2 Methods and materials for containment and clean up

**For containment:** Contain and absorb spill with inert material. Place in suitable container for disposal. Spilled material may be slippery.

**For clean up:** Take up material and place in a suitable container. Provide adequate ventilation. Spilled material may be slippery.

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not swallow. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. Launder all clothing and foot wear before reuse.

#### 7.2 Conditions for safe storage including incompatibilities

Keep out of reach of children. Store in a well ventilated place. Do not store above 49°C (120°F).

#### 7.3 Specific end uses

**Shelf Life:** Shelf life is considered to be 7 - 10 years when properly stored. Aerosol products have been known to last much longer in storage.

#### 8. Exposure Control/Personal Protection:

#### 8.1 Control parameters

Exposure Limits	<u>8 hr TWA</u> :	<u>(OSHA PEL)</u>	<u>(ACGIH TWA)</u>
Propane		1000 ppm	1000 ppm
Isobutane		not available	1000 ppm
Sodium Lauroyl Sar	cosinate	not applicable	not applicable
Laurylamineoxide		not applicable	not applicable
Alkylpolyglucoside		not applicable	not applicable

#### 8.2 Exposure controls

Use adequate ventilation to keep exposure below recommended limits. Ensure that eye wash station and safety shower are close to work station.

Hand Protection Equipment: Wear chemical resistant gloves and clothing to prevent skin contact.

**Eye Protection Equipment:** Wear safety glasses or splash goggles to prevent eye contact. **Skin and Body Protection:** Wear suitable protective clothing.

Respiration/Ventilation Protection Requirements: Provide good ventilation.

**Ingestion Protection Requirements:** Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. Launder all clothing and foot wear before re-use.

## 9. Physical And Chemical Properties:

#### 9.1 Information of basic chemical and physical properties

#### 9.2 Other information

% NVM by Weight:	3.3%
% VOC Content (California):	4.5%

#### 10. Stability and Reactivity:

#### 10.1 Reactivity

Does not react under normal conditions

# **10.2 Chemical stability** Stable

#### 10.3 Possibility of hazardous reactions

Does not react under normal conditions

#### 10.4 Conditions to avoid

Heat and incompatible materials

## **10.5** Incompatible materials

Strong oxidizers such as bleach and peroxides

## **10.6 Hazardous decomposition products**

 $CO_2$ , CO and hydrocarbons

## 11. Toxicological Information:

## **11.1 Information on Toxicological effects**

Turtle Wax Oxy Power Out Upholstery Cleaner

LD50 – Oral Rat	>2000 mg/Kg
LD50 – Dermal Rabbit	>2000 mg/Kg
LC50 – Inhalation Rat	>3.81 mg/L (4 hr)

<u>Isobutane (75-28-5)</u> LD50 – Inhalation Rat	658 mg/L (4hr)		
<u>Propane (76-98-6)</u> LD50 – Inhalatyion Rat	658 mg/L(4hr)		
<u>Sodium Lauroyl Sarcosinate</u> LD50 – Oral Rat LC50 – Inhalation Rat	<u>(137-16-6)</u> >5000 mg/Kg 0.05-0.5 mg/L (4 hr)		
<u>Laurylamineoxide (1643-20-5)</u> LD50 – Oral Rat 2700 mg/Kg			
<u>Alkylpolyglucoside (68515-73</u> LD50 – Oral Rat	<u>3-1)</u> >5000 mg/Kg		
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitizat Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organs – singl	ion Based on available data, classification data are not met Based on available data, classification data are not met Based on available data, classification data are not met Based on available data, classification data are not met		
Specific target organs – repeated exposure			
Aspiration hazard Symptoms/injuries after inhal	Based on available data, classification data are not met Based on available data, classification data are not met lation Harmful if inhaled. May cause respiratory tract irritation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.		
Symptoms/injuries after skin	contact May cause skin irritation. May cause drying, cracking, or mild dermatitis.		
Symptoms/injuries after eye of	contact May cause temporary eye irritation. Symptoms may include discomfort, excess blinking, and tearing.		
Symptoms/injuries after inges			

## 12. Ecological Information:

## 12.1 Toxicity

Not recommended for release into aquatic systems without treatment

## 12.2 Persistence and degradability

Not established

## 12.3 Bioaccumulative potential

Not established

## 12.4 Mobility in soil

Not established

## **12.5 Other adverse effects**

None known

#### 13. Disposal Considerations:

#### 13.1 Waste treatment methods

RCRA Hazardous Waste:	Regulated as a hazardous waste (D-001 Ignitable).	
Waste Disposal Method:	Dispose of in accordance with local, state and federal	
	regulations	
Waste Disposal Vessel:	Metal drums are recommended. Dispose of un-used aerosol cans through a registered aerosol recycler.	

#### 14. Transportation Information:

**14.1 UN number** 1950

**14.2 UN Proper shipping name** Aerosol - Nonflammable

**14.3 Transport Hazard class** 2.2 Nonflammable Gas

**14.4 Packaging group** Not applicable

**14.5 Marine Pollutant** No

**14.6 Transportation in Bulk** Not applicable

**14.7 Special precautions** NFPA (34b) Level 1 Aerosol

#### 15. Regulatory Information:

## 15.1 US Federal Regulations

**TSCA Status:** All ingredients are commercially available and listed by the manufacturer under TSCA.

## **15.2 Foreign Regulations**

**Canadian Status**: All materials contained in this product are listed on the Canadian Domestic Substance List (DSL). Consult Turtle Wax, Inc. regarding status of ingredients.

European Union: All materials contained in this product are listed on EINECS.

AICS: All materials are registered for AICS (Australia)

## 15.3 State Regulations

## **State Regulatory Information:**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements, contact the appropriate agency in your state.

## California Prop 65:

CAS Number None	<u>Concentration</u>	State Code	
15.4 HIMS & NFPA Class	ifications		
HIMS Classification:	Health Flammability Reactivity	2 2 0	
NFPA Classification:	Health Flammability Reactivity	2 2 0	
16. Other Information:			
Reason For Issue	Conversion to OSH	IA GHS SDS Format	
Prepared By	James Heidel	James Heidel	
Preparer's Title	Technical Director,	Technical Director, R&D	
SDS Administrator	Jean Mayszak - Te	Jean Mayszak - Technical Compliance Manager, R&D	
Approval Date	February 5, 2015	February 5, 2015	
Supersedes Date	October 30, 2012		
<b>Revision Number</b>	A – 6		

This information is, to the best of Turtle Wax, Inc.'s knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy oneself as to the suitableness and completeness of such information for their own particular use.